WELDING JOURNAL INDEX

VOLUME 51 — 1972

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 2501 NW 7TH ST., MIAMI, FLA. 33125

WELDING JOURNAL INDEX

VOLUME 51 — 1972

PUBLISHED BY AMERICAN WELDING SOCIETY, 2501 NW 7TH ST., MIAMI, FLA. 33125

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the Practical Welder and Designer, news, biographical items, current welding literature and advertising.

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry, plus papers presented at National Meetings.

WELDING JOURNAL

SUBJECT INDEX

Aligning the Optics of an Electron Beam Welding Machine, Techniques for — E. Lutrell, E. H. Bradburn and P. W. Turner, 769 to 770, (Nov).

All-Position Production Welding with Flux-Cored Gas-Shielded Electrodes — M. Hoitomt and R. K. Lee, 765 to 768, (Nov).

*Aluminum, In-Place Welding of Combustible-Backed — 717, (Oct).

*Aluminum, No. 1 of Series on Soldering — 571, (Aug).

*Aluminum, No. 2 of Series on Soldering — 645, (Sept).

*Aluminum, No. 3 of Series on Soldering — 714, (Oct).

*Aluminum, No. 4 of Series on Soldering — 786, (Nov).

*Aluminum, No. 5 of Series on Soldering — 851, (Dec).

Aluminum Sheet, Weld Cracking in — Russell A. Chihoski, 24 to 30, (Jan).

Aluminum Structures, Distortion Control of Welded — Frank R. Baysinger, 833 to 841, (Dec).

Applications of Gasdynamic Lasers — Dr. Edward T. Gerry, 329 to 342, (May).

*Arc, Motion Picture Looks Inside the — 713, (Oct).

Arc Welding: Tending the Arc — A. K. Pandjiris and E. J. Weinfurt, 633 to 639, (Sept).

*Armco 18 SR Proven Suitable for Thermal Reactors in Automobiles — 43, (Jan).

*Auto Frame Production Optimized by New Process — 122, (Feb).

Automatic Control for Plasma Arc Welding With Constant Keyhole Diameter — H. D. Steffans and H. Kayser, 408 to 418, (June).

*Automatic Machining System Maintains Consistent Shells — 42, (Jan).

*Automatic Paste Soldering of Two Joints Simultaneously in Brass Tubular Faucet Assembly — 118, (Feb).

*Automobiles, Armco 18 SR Proven Suitable for Thermal Reactors in — 43, (Jan).

Automotive Radiators, Creep Resistance of Low-Tin Solders for — E. N. Aqua and E. J. Minarcik, 771 to 774, (Nov).

Beryllium, Successful Joining of — D. G. Scott, C. L. Estes, R. A. Huber, P. W. Turner, 15 to 24 (Jan).

Boron/Aluminum Composites, The Versatility of Resistance Welding Machines for Joining — Michael S. Hersh, 626 to 632, (Sept).

Braze Coating of Aero-Engineer Nozzle Guide Vanes, Developments in Vacuum — Lindsay J. Malcolm, 483 to 488, (July).

Brazing and Gas Quenching, Vacuum — F. B. Gurtner, P. K. Shutt, Jr. and F. T. Kirk, Jr., 87 to 94, (Feb).

Brazing, A New Gas Quenching Technique for Vacuum — C. F. Burrows and R. O'Keefe, 99 to 116, (Feb).

*Brazing Cuts Time and Cost in Assembly — 489, (July).

Brazing Titanium Heat Exchangers, Suitable Alloys for — D. G. Howden and R. W. Monroe, 31 to 39, (Jan).

Castings by Upgrading, Saving Defective — W. R. Brandt, and K. A. Ristau, 564 to 567, (Aug).

*Casting Upgrading Department Provides In-Depth Analysis and Advanced Repair Techniques — 42, (Jan).

Cladding of Large Steel Plates with Lead Explosive — H. E. Otto and S. H. Carpenter, 467 to 473, (July).

Coarse Grid Sandwich Construction for Welded Steel Structure — J. M. Fisher and J. E. Stallmeyer, 177 to 183, (Mar).

*Coating a Second . . . And Out Comes A Part, One — 423, (June).

*Coating Gives Resistance to Oxidation-Up to 2200 F — 424, (June).

*Columns, New on-Site Joining Method for H-Shape Steel Structural — 120, (Feb).

Construction for Welded Steel Structures, Coarse Grid Sandwich — J. M. Fisher and J. E. Stallmeyer, 177 to 183, (Mar).

*Construction of Lockers Resist Pilferage Vandalism and Mildew, Welded — 184, (Mar).

Construction, Research Toward Safer Welded — J. F. Lancaster, 159 to 168, (Mar).

*Construction, Unique Jumbo Jet Service Facility and Office Tower Under — 348, (May).

Contamination Affects Weldability of Cobalt Superalloys, How Copper Surface — S. J. Matthews, M. O. Maddock and W. F. Savage, 326 to 328, (May).

Controlled Path Resistance Welding — J. C. Wormeli, 95 to 98 (Feb).

Cracking in Aluminum Sheet, Understanding Weld — Russell A. Chihoski, 24 to 30, (Jan).

Creep Resistance of Low-Tin Solders for Automotive Radiators — E. N. Aqua and E. J. Minarcik, 771 to 774, (Nov).

Current Ratings of Power Semiconductors — G. M. Sherbondy and J. W. Motto, Jr., 393 to 400, (June).

***A Practical Welder and Designer article.**

Development of Vacuum Braze Coating of Aero-Engine Guide Vanes — Lindsay J. Malcolm, 483 to 488, (July).
Device for Controlling 100% Penetration in Electron Beam Welds, Simple — I. Ben-Zvi, L. Bogart and J. P. Turneaure, 842 to 844, (Dec).
Distortion Control of Welded Aluminum Structures — Frank R. Baysinger, 833 to 841, (Dec).

Electrode Caps Used in Resistance Spot Welding, Evaluation Techniques for — U. I. Chang, J. W. Mitchell and L. G. Young, 617 to 625, (Sept).
Electron Beam Welding Machine, Technique for Aligning the Optics of an — E. Luttrell, E. H. Bradburn and P. W. Turner, 769 to 770, (Nov).
Electron Beam Welds in Plain Carbon Steels, Gases Evolved from — M. J. Bibby, G. Burbidge and J. A. Goldak, 844 to 847, (Dec).
Electron Beam Welds, Simple Device for Controlling 100% Penetration in — I. Ben-Zvi, L. Bogart and J. P. Turneaure, 842 to 843, (Dec).
Evaluation Techniques for Electrode Caps Used in Resistance Spot Welding — U. I. Chang, J. W. Mitchell and L. G. Young, 617 to 625, (Sept).
Evolution of the Silicon Controlled Rectifier for Resistance Welding — W. Dilay and E. Zulinski, 554 to 559, (Aug).
Explosive Cladding of Large Steel Plates with Lead — H. E. Otto and S. H. Carpenter, 467 to 473, (July).

Feasibility of Automatic Welding for Arctic Gas Pipe Line Construction — John H. O'Connor, 474 to 482, (July).
Federal Correctional Institution, Weld Training in a — H. Fordyce and L. P. Stevens, 549 to 553, (Aug).
*Flame Cutting Boosts Production Lowers Oxyacetylene Consumption — 267, (April).
Flux-Cored Electrodes, Self-Shielding Stainless Steel — A. J. Zvanut and H. N. Farmer, Jr., 775 to 780, (Nov).
Flux-Cored Gas-Shielded Electrodes, All-Position Production Welding with — M. Hoitomt and R. K. Lee, 765 to 768, (Nov).
Friction Welding Udimet 700 — T. J. Moore, 253 to 263, (April).
*Furniture Maker Seeks Stronger, Faster Welding — 495, (July).

Galvanized Decking, Stud Welding Through — C. C. Pease and F. J. Preston, 241 to 245, (April).
Gasdynamic Lasers, Application of — Dr. Edward T. Gerry, 329 to 342, (May).
Gases Evolved from Electron Beam Welds in Plain Carbon Steels — M. J. Bibby, G. Burbidge and J. A. Goldak, 844 to 847, (Dec).
*Gas Proportioner Minimizes Storage Rack Welding Costs — 188, (Mar).
Gas Quenching and Vacuum Brazing — F. B. Gurtner, P. K. Shutt, Jr., and F. T. Kirk, Jr. 87 to 94 (Feb).
Gas Quenching Technique for Vacuum Brazing — C. F. Burrows, R. O'Keefe, 99 to 114 (Feb).
*The GMA Smoke Extracting Gun — 419, (June).
GMA Welding, A New Process: Plasma — 560 to 563, (Aug).
*Greater Safety Flexibility in Vertical Up Welding Obtained With Speedier New System — 350, (May).

***H**ere's How IBM Describes Plasma Spraying of Computer Parts — 850, (Dec).
High Silicon Welding Wire — John R. Collins, 169 to 173, (Mar).
*Home on Stilts Eliminates Problem of Diminishing Land — 266, (April).
Hot-Overlap Technique for Three-Electrode Submerged Arc Welding of Line Pipe — P. W. Ramsey, T. M. Even and G. R. Wepfer, 695 to 701, (Oct).
How Copper Surface Contamination Affects Weldability of Cobalt Superalloys — S. J. Matthews, M. O. Maddock and W. F. Savage, 325 to 328, (May).

Induction Welding of Steel Tubing Assists Product Improvement — 349, (May).
Industrial Application of Gasdynamic Lasers— Dr. Edward T. Gerry, 329 to 345, (May).
*In-Place Welding of Combustible-Backed Aluminum — 717, (Oct).
*In-Track Welding Team, On the Scene with New — 492, (July).

Lasers, Application of Gasdynamic — Dr. Edward T. Gerry, 329 to 342, (May).
Lead, Explosive Cladding of Large Steel Plates with — H. E. Otto and S. H. Carpenter, 467 to 473, (July).
*LeTourneau College, Welding Engineering at — 493, (July).
*Longer Life for Machine Parts With New Tungsten Carbide Coating Requiring Little or No Finishing — 189, (Mar).

***M**agnetic Nail Conveyor Solves Scrap Handling Problem — 40, (Jan).
*Metallizing Returns Damaged Part to Active Duty in One Day — 721, (Oct).
*Motion Picture Looks Inside the Arc — 713, (Oct).

***N**avajo Students Helped to a Future in Industrial Welding — 857, (Dec).
New Bureau of Standards Testing Machine Runs Compression Test on Large Welded Steel Columns — 44, (Jan).
*New Chemical-Carrying River Barges Have Stainless Steel Cargo Tanks — 117, (Feb).
New Gas Quenching Technique for Vacuum Brazing — C. F. Burrows, R. O'Keefe, 99 to 114 (Feb).
*New Marine Structural Welding Specifications Help Build Alcoa's All-Aluminum Research Ship — 186, (Mar).
*New on-Site Joining Method for H-Shape Steel Structural Columns — 120, (Feb).
New Process: Plasma-GMA Welding — 560 to 563, (Aug).
New Stainless Filler Metal — N. Kenyon, 245 to 252, (Apr).
*New Stud Welding System Anchors Decks of Sears Tower — 421, (June).
Nondestructive Testing in Shipbuilding, 173 to 177, (Mar).
*No. 1 of Series on Soldering Aluminum — 571, (Aug).
*No. 2 of Series on Soldering Aluminum — 643, (Sept).
*No. 3 of Series on Soldering Aluminum — 714, (Oct).
*No. 4 of Series on Soldering Aluminum — 786, (Nov).
*No. 5 of Series on Soldering Aluminum — 851, (Dec).

***O**ne Coating a Second . . . And Out Comes a Part — 423, (June).
*One-Man Operation Produces Five Chains at a Time — 848, (Dec).
*On the Scene with New In-Track Welding Team — 492, (July).
Optics of an Electron Beam Welding Machine, Technique for Aligning the — E. Luttrell, E. H. Bradburn and P. W. Turner, 769 to 770, (Nov).
Optimum Reliability in Printed Circuit Soldering Through Quality Assurance — C. J. Thwaites, 702 to 712, (Oct).
*Oxygen Cutting for Better Cuts in Less Time, Portable Mechanized — 788, (Nov).

Pipe Fabrication Costs, Time-Saving Automatic Torch Cuts Through — 263, (April).
Pipe Line Construction, Feasibility of Automatic Welding for Arctic — John H. O'Connor, 474 to 483, (July).
*Pipeline Valve Ball Fabricated from Welded Steel — 640, (Sept).
Plasma Arc Welding With Constant Keyhole Diameter, Automatic Control for — H. D. Steffans and H. Kayser, 408 to 418, (June).
*Plasma Flame Spraying Rebuilds Jet Engine Parts — 185, (Mar).
Plasma-GMA Welding, A New Process: — 560 to 563, (Aug).
*Plasma Spraying of Computer Parts, Here's How IBM Describes — 850, (Dec).

***A Practical Welder and Designer article.**

*Portable Mechanized Oxygen Cutting for Better Cuts in Less Time — 788, (Nov).
Printed Circuit Soldering Through Quality Assurance, Optimum Reliability in — C. J. Thwaites, 702 to 712, (Oct).
*Productivity on Large Weldments Increased by Portable High Performance Air Grinders — 346, (May).

*Radial Arm "Swing" Speeds Up Production — 849, (Dec).
Radiators, Creep Resistance of Low-Tin Solders for Automotive — E. N. Aqua and E. J. Minarcik, 771 to 774, (Nov).
Radiographic Testing of Weldments — R. Hulfachor and T. Alberts, 401 to 403, (June).
Rebuilding of Worn Dredge Bucket Pins — D. E. Woodford, 404 to 407, (June).
*Relocation of 1000 Tons of Metal Accomplished in Hours Instead of Weeks — 264, (April).
Research Toward Safer Welded Construction — J. F. Lancaster, 159 to 169, (Mar).
Resistance Spot Welding, Evaluation Techniques for Electrode Caps in — U. I. Chang, J. W. Mitchell and L. G. Young, 617 to 625, (Sept).
Resistance Welding, Controlled Path — J. C. Wormelli, 95 to 98 (Feb).
Resistance Welding, Evolution of the Silicon Controlled Rectifier for — W. Dilay and E. Zulinski, 554 to 559, (Aug).
Resistance Welding Machines for Joining Boron/Aluminum Composites, The Versatility of — Michael S. Hersh, 626 to 632, (Sept).

Safety Flexibility in Vertical Welding Obtained With Speedier New System, Greater — 350, (May).
Sandwich Construction for Welded Steel Structures, Coarse Grid — J. M. Fisher and J. E. Stallmeyer, 177 to 183, (Mar).
*San Mateo, Welding Technicians at — C. Blucker, 645, (Sept).
Saving Defective Castings by Upgrading — W. R. Brandt and K. A. Ristau, 564 to 567, (Aug).
*SCR's Bid Good-bye to Thyratron Electron Tubes — F. E. Hanby, 720, (Oct).
Self-Shielding Stainless Steel Flux-Cored Electrodes — A. J. Zvanut and H. N. Farmer, Jr., 775 to 780, (Nov).
Semiconductors, Current Ratings of Power — G. M. Sherbondy and J. W. Motto, Jr., 393 to 400, (June).
Shipbuilding, Nondestructive Testing in, 173 to 177, (Mar).
Silicon Controlled Rectifier for Resistance Welding, Evolution of the — W. Dilay and E. Zulinski, 554 to 559, (Aug).
Simple Device for Controlling 100% Penetration in Electron Beam Welds — I. Ben-Zvi, L. Bogart and J. P. Turneaure, 842 to 843, (Dec).
*Soldering Aluminum, No. 1 of Series — 571, (Aug).
*Soldering Aluminum, No. 2 of Series on — 643, (Sept).
*Soldering Aluminum, No. 3 of Series on — 714, (Oct).
*Soldering Aluminum, No. 4 of Series on — 786, (Nov).
*Soldering Aluminum, No. 5 of Series on — 851, (Dec).
Soldering Through Quality Assurance, Optimum Reliability in Printed Circuit — C. J. Thwaites, 702 to 712, (Oct).
Solders for Automotive Radiators, Creep Resistance of Low-Tin — E. N. Aqua and E. J. Minarcik, 771 to 774, (Nov).
*Specialized Fixturing and CO_2 Shielded Flux-Cored Arc Welding Aids in Track Manufacture — 185, (Mar).
*Special Steel Saves Weight Cuts Cost for Trailer Manufacturer — 46, (Jan).
*Special Welding Techniques Build Tank for 600,000 Barrels of Liquid Natural Gas — 422, (June).
Stainless Filler Metal, A New — N. Kenyon, 245 to 252, (Apr).
Stainless Steel Flux-Cored Electrodes, Self-Shielding — A. J. Zvanut and H. N. Farmer, Jr., 775 to 780, (Nov).
Structures, Distortion Control of Welded Aluminum — Frank R. Bavsinger, 833 to 841, (Dec).
*Stud Welding System Anchors Decks of Sears Tower, New — 421, (June).
Stud Welding Through Heavily Galvanized Decking — C. C. Pease and F. J. Preston, 241 to 245, (Apr).
Submerged Arc Welding and Surfacing — L. VanDyke and G. Wittstock, 317 to 326, (May).
Submerged Arc Welding of Line Pipe, Hot-Overlap Technique for Three-Electrode — P. W. Ramsey, T. M. Even and G. R. Wepfer, 695 to 701, (Oct).
Successful Joining of Beryllium — D. G. Scott, C. L. Estes, R. A. Huber, P. W. Turner, 15 to 24 (Jan).
Suitable Alloys for Brazing Titanium Heat Exchangers — D. G. Howden and R. W. Monroe, 31 to 39, (Jan).
*Surfacing Deposit to Lengthen the Life of Rotary Feeders, Two-Stage Procedure Helps Control — 574, (Aug).
*Surfacing Helps Centrifuges Fight Pollution — 782, (Nov).
Surfacing, Submerged Arc Welding and — L. Van Dyke and G. Wittstock, 317 to 325, (May).

*Techicians at San Mateo, Welding — C. Blucker, 645, (Sept).
Technique for Aligning the Optics of an Electron Beam Welding Machine — E. Luttrell, E. H. Bradburn and P. W. Turner, 769 to 770, (Nov).
Tending the Arc — A. K. Pandjiris and E. J. Weinfurt, 633 to 639, (Sept).
Three-Electrode Submerged Arc Welding of Line Pipe, Hot-Overlap Technique for — P. W. Ramsey, T. M. Even and G. R. Wepfer, 695 to 701, (Oct).
*Thyratron Electron Tubes, SCR's Bid Good-bye to — F. E. Hanby, 720, (Oct).
*Time-Saving Automatic Torch Cuts Through Pipe Fabrication Costs — 263, (Apr).
Titanium Heat Exchangers, Suitable Alloys for Brazing — D. G. Howden and R. W. Monroe, 31 to 39, (Jan).
Training in a Federal Correctional Institute, Weld — H. Fordyce and L. P. Stevens, 549 to 553, (Aug).
*Tubing Shapes, Welded Joints in Dissimilar — 784, (Nov).
*Tungsten Carbide Coating Requiring Little or No Finishing, Longer Life for Machine Parts with New — 189, (Mar).
*Two-Stage Procedure Helps Control Surfacing Deposit to Lengthen the Life of Rotary Feeders — 574, (Aug).

Udimet 700, Friction Welding — N. Kenyon, 245 to 252, (Apr).
Understanding Weld Cracking in Aluminum Sheet — Russell A. Chihoski, 24 to 30 (Jan).
*Unique Jumbo Jet Service Facility and Office Tower Under Construction 348, (May).
*Upgrading Department Provides In-Depth Analysis and Advanced Repair Technique, Casting — 42, (Jan).
Upgrading, Saving Defective Castings by — W. R. Brandt and K. A. Ristau, 564 to 568, (Aug).

Vacuum Braze Coating of Aero-Engine Guide Vanes, Developments in — Lindsay J. Malcolm, 483 to 488, (July).
Vacuum Brazing and Gas Quenching — F. B. Gurtner, P. E., P. K. Shutt, Jr., and F. T. Kirk, Jr., 87 to 94 (Feb).
Vacuum Brazing, A New Gas Quenching Technique for — C. F. Burrows, R. O'Keefe, 99 to 114, (Feb).
Versatility of Resistance Welding Machines for Joining Boron/Aluminum Composites — Michael S. Hersh, 626 to 632, (Sept).

Welded Construction of Lockers Resist Pilferage Vandalism and Mildew — 184, (Mar).
*Welded Joints in Dissimilar Tubing Shapes — 784, (Nov).
*Welder Training-On and Off the Campus in Wisconsin — 569, (Aug).
*Welding Engineering at LeTourneau College — 493, (July).
*Welding of Combustible-Backed Aluminum, In-Place — 717, (Oct).
*Welding Technicians at San Mateo — C. Blucker, 645, (Sept).
Weld Training in a Federal Correctional Institution — H. Fordyce and L. P. Stevens, 549 to 553, (Aug).

***A Practical Welder and Designer article.**

AUTHOR INDEX

Alberts, T. and Hulfachor, R. — Radiographic Testing of Weldments, 401 to 403, (June).
Aqua, E. N. and Minarcik, E. J. — Creep Resistance of Low-Tin Solders for Automotive Radiators, 771 to 774, (Nov).

Baysinger, Frank R. — Distortion Control of Welded Aluminum Structures, 833 to 841, (Dec).
Ben-Zvi, I., Bogart, L., Turneaure, J. P. — Simple Device for Controlling 100% Penetration in Electron Beam Welds, 842 to 843, (Dec).
Bibby, M. J., Burbidge, G., Goldak, J. A. — Gases Evolved from Electron Beam Welds in Plain Carbon Steels, 844 to 847, (Dec).
Blucker, C. — Welding Technicians at San Mateo, 645, (Sept).
Bogart, L., Ben-Zvi, I., Turneaure, J. P. — Simple Device for Controlling 100% Penetration in Electron Beam Welds, 842 to 843, (Dec).
Bradburn, E. H., Luttrell, E. and Turner, P. W. — Technique for Aligning the Optics of an Electron Beam Welding Machine, 769 to 770, (Nov).
Brandt, W. R. and Ristau, K. A. — Saving Defective Castings by Upgrading, 564 to 567, (Aug).
Burbidge, G., Bibby, M. J., Goldak, J. A. — Gases Evolved from Electron Beam Welds in Plain Carbon Steels, 844 to 847, (Dec).

Carpenter, S. H. and Otto, H. E. — Explosive Cladding of Large Steel Plates with Lead, 467 to 473, (July).
Chang, U. I., Mitchell, J. W., Young, L. G. — Evaluation Techniques for Electrode Caps Used in Resistance Spot Welding, 617 to 625, (Sept).
Chihoski, Russell A. — Understanding Weld Cracking in Aluminum Sheet, 24 to 30, (Jan).
Collins, John R. — High Silicon Welding Wire, 169 to 173, (Mar).

Dilay, W. and Zulinski — Evolution of the Silicon Controlled Rectifier for Resistance Welding, 554 to 559, (Aug).

Estes, C. L., Scott, D. G., Huber, R. A., Turner, P. W. — Successful Joining of Beryllium, 15 to 24, (Jan).
Even, T. M., Ramsey, P. W. and Wepfer, G. R. — Hot-Overlap Technique for Three-Electrode Submerged Arc Welding of Line Pipe, 695 to 701, (Oct).

Farmer, Jr., H. N. and Zvanut, A. J. — Self-Shielding Stainless Flux-Cored Electrodes, 775 to 780 (Nov).
Fisher, J. M. and Stallmeyer, J. E. — Coarse Grid Sandwich Construction for Welded Steel Structure, 177 to 183, (Mar).
Fordyce, H. and Stevens, L. P. — Weld Training in a Federal Correctional Institution, 549 to 553, (Aug).

Gerry, Dr. Edward T. — Industrial Applications of Gas-dynamic Lasers, 329 to 345, (May).
Goldak, J. A., Bibby, M. J. Burbidge, G. — Gases Evolved from Electron Beam Welds in Plain Carbon Steels, 844 to 847, (Dec).
Gurtner, F. B., Shutt, P. K. and Kirk, F. T., jr. —Vacuum Brazing and Gas Quenching, 87 to 94 (Feb).

Hanby, F. E. — SCR's Bid Good-bye to Thyratron Electron Tubes, 720, (Oct).
Hersh, Michael S. — The Versatility of Resistance Welding Machines for Joining Boron/Aluminum Composites, 626 to 632, (Sept).
Hoitomt, M. and Lee, R. K. — All-Position Production Welding with Flux-Cored Gas-Shielded Electrodes, 765 to 768, (Nov).
Howden, D. G. and Monroe, R. W. — Suitable Alloys for Brazing Titanium Heat Exchangers, 31 to 39, (Jan).
Huber, R. A., Scott, D. G., Estes, C. L., Turner, P. W. — Successful Joining of Beryllium, 15 to 24 (Jan).
Hulfachor, R. and Alberts, T. — Radiographic Testing of Weldments, 401 to 403, (June).

Kayser, H. and Steffens, H. D. — Automatic Control for Plasma Arc Welding With Constant Keyhole Diameter, 408 to 418, (June).
Kenyon, N. — A New Stainless Filler Metal, 245 to 252, (Apr).
Kirk, F. T., Jr., Gurtner, F. B., Shutt, P. K. — Vacuum Brazing and Gas Quenching, 87 to 94 (Feb).

Lancaster, J. F. — Research Toward Safer Welded Construction, 159 to 169, (Mar).
Lee, R. K. and Hoitomt, M. — All-Position Welding with Flux-Cored Gas Shielded Electrodes, 765 to 768, (Nov).
Luttrell, E., Bradburn, E. H., and Turner, P. W. — Technique for Aligning the Optics of an Electron Beam Welding Machine, 769 to 770, (Nov).

Maddock, M. O., Matthews, S. J., Savage, W. F. — How Copper Surface Contamination Affects Weldability of Cobolt Superalloys, 326 to 328, (May).
Malcolm, Lindsay J. — Developments in Vacuum Braze Coating of Aero-Engine Guide Vanes, 483 to 488, (July).
Matthews, S. J., Maddock, M. O. and Savage, W. F. — How Copper Surface Contamination Affects Weldability of Cobalt Superalloys, 326 to 328, (May).
Minarcik, E. J. and Aqua, E. N. — Creep Resistance of Low-Tin Solders for Automotive Radiators, 771 to 774, (Nov).
Mitchell, J. W., Chang, U. I.,Young, L. G. — Evaluation Techniques for Electrode Caps Used in Resistance Spot Welding, 617 to 625, (Sept).
Monroe, R. W. and Howden, D. G. — Suitable Alloys for Brazing Titanium Heat Exchangers, 31 to 39, (Jan).
Motto, J. W. Jr., and Sherbondy, G. M. — Current Ratings of Power Semiconductors, 393 to 400, (June).

O'Connor, John H. — Feasibility of Automatic Welding for Arctic Gas Pipe Line Construction, 474 to 482, (July).
O'Keefe, R., Burrows, C. F. — A New Gas Quenching Technique for Vacuum Brazing, 99 to 114, (Feb).
Otto, H. E. and Carpenter, S. H. — Explosive Cladding of Large Steel Plates with Lead, 467 to 473, (July).

Pandjiris, A. K. and Weinfurt, E. J. — Tending the Arc, 633 to 639, (Sept).
Pease, C. C. and Preston, F. J. — Stud Welding Through Heavily Galvanized Decking, 241 to 245, (Apr).
Preston, F. J. and Pease, C. C. — Stud Welding Through Heavily Galvanized Decking, 241 to 245, (Apr).

Ramsey, P. W., Even, T. M. and Wepfer, G. R. — Hot-Overlap Technique for Three-Electrode Submerged Arc Welding of Line Pipe, 695 to 701, (Oct).
Ristau, K. A. and Brandt, W. R. — Saving Defective Castings by Upgrading, 564 to 567, (Aug).

Savage, W. F., Matthews, S. J., Maddock, M. O. — How Copper Surface Contamination Affects Weldability of Cobolt Superalloys, 326 to 328, (May).
Scott, D. G., Estes, C. L., and Huber, R. A. and Turner, P. W. — Successful Joining of Beryllium, 15 to 24 (Jan).
Sherbondy, G. M., Motto, J. W., Jr. — Current Ratings of Power Semiconductors, 393 to 400, (June).
Shutt, P. K., Gurtner, F. B., and Kirk, F. T., Jr. — Vacuum Brazing and Gas Quenching, 87 to 94 (Feb).
Stallmeyer, J. E. and Fisher, J. M. — Coarse Grid Sand-

wich Construction for Welded Steel Structures, 177 to 183, (Mar).
Steffens, H. D. and Kayser, H. — Automatic Control for Plasma Arc Welding With Constant Keyhole Diameter, 408 to 418, (June).
Stevens, L. P. and Fordyce, H. — Weld Training in a Federal Correctional Institution, 549 to 553, (Aug).

Thwaites, C. J. — Optimum Reliability in Printed Circuit Soldering Through Quality Assurance, 702 to 712, (Oct).

Turneaure, J. P., Ben-Zvi, I., Bogart, L. — Simple Device for Controlling 100% Penetration in Electron Beam Welds, 842 to 843, (Dec).

Turner, P. W., Estes, C. L., Scott, D. G., Huber, R. A. — Successful Joining of Beryllium, 15 to 24, (Jan),
Turner, P. W., Luttrell, E. and Bradburn, E. H. — Technique for Aligning the Optics of an Electron Beam Welding Machine, 769 to 770, (Nov).

Van Dyke, L. and Wittstock, G. — Submerged Arc Welding and Surfacing, 317 to 325, (May).

Weinfurt, E. J. and Pandjiris, A. K. — Tending the Arc, 633 to 639, (Sept).
Wepfer, G. R., Ramsey, P. W. and Even, T. M. — Hot-Overlap Technique for Three-Electrode Submerged Arc Welding, 695 to 701, (Oct).
Wittstock, G. and Van Dyke, L. — Submerged Arc Welding and Surfacing, 317 to 325, (May).
Woodford, D. E. — Rebuilding of Worn Dredge Bucket Pins, 404 to 407, (June).
Wormelli, J. C. — Controlled Path Resistance Welding, 95 to 98 (Feb).

Young, L. G., Chang, U. I., Mitchell, J. W. — Evaluation Techniques for Electrode Caps Used in Resistance Spot Welding, 617 to 625, (Sept).

Zulinski, E. and Dilay, W. — Evolution of the Silicon Controlled Rectifier for Resistance Welding, 554 to 559, (Aug).
Zvanut, A. J. and Farmer, Jr., H. N. — Self-Shielding Stainless Steel Flux-Cored Electrodes, 775 to 780, (Nov).

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

A533-B Nuclear Reactor Vessels, Radiation Resistant Weld Metal for Fabricating — J. R. Hawthorne, 369-s to 376-s, (July).
Acoustic Emission Characteristics of Heat Treat Cracking in Rene 41 Weldments — A. T. D'Annessa and J. S. Owens, 156-s to 168-s, (Mar).
Aerospace Tube Fittings, Brazed-Welded Lightweight High Pressure — Charles R. Ursell, II, 337-s to 340-s, (July).
Aggressive Effects By Nickel-Base Brazing Filler Metals On the Alloy 718, Spreading and — I. Amato, F. Baudrocco and M. Ravissa, 341-s to 345-s, (July).
Aluminum-Graphite Deposits, Feasibility of Brazing and Welding — D. M. Goddard, R. T. Pepper, J. W. Upp and E. G. Kendall, 178-s to 183-s (Apr).
Al-Zn-Mg Alloys, Investigation of Hot Tearing in — J. Hernaez and A. Madronero, 281-s to 294-s, (June).
Analysis of a Stub End by the Finite Element Method — N. R. Byers, R. F. Schultz, 31-s to 36-s, (Jan).
Analytical Photography by Electron Beam Welding — D. W. Crawford, 50-s to 53-s, (Feb).
Aluminum Content in a Nickel-Based Alloy, A Welding Defect Related to the — D. L. Coffey, W. B. Cartmill, C. E. Burgan, 29-s to 31-s, (Jan).
Aluminum Sheet, Character of Stress Fields Around a Weld Arc Moving on, — Russell A. Chihoski, 9-s to 19-s, (Jan).
Arc Moving on Aluminum Sheet, The Character of Stress Fields Around a Weld — Russell A. Chihoski, 9-s to 18-s, (Jan).
Automotive Radiators, Solder Alloy Development for — R. E. Beal, 295-s to 303-s, (June).

Beryllium: Part I-Basic Studies, Diffusion Welding of — Thomas J. Bosworth, 579-s to 590-s, (Dec).
Bibliography of Fatigue Strength of Welded Joints, 1950-1971 — C. F. Larson, 457-s to 460-s, (Sept).
Bibliography on Resistance Welding, 1950-1971 — C. F. Larson, 563-s to 567-s, (Nov).
Bonding and Cleaning, New Technique for Metal — K. O. Christe, R. D. Wilson and D. Pilipovich, 599-s to 601-s, (Dec).
Braze Alloys for Vacuum Treating Gas Quenching, Evaluation of — C. F. Burrows and R. O'Keefe, 53-s to 63-s, (Feb).
Brazed Joints with Potassium and Vacuum, Compatibility of — J. W. Hendricks, N. C. Cole, G. M. Slaughter, 329-s to 336-s, (July).
Brazed-Welded Lightweight High Pressure Aerospace Tube Fittings — Charles R. Ursell, II, 337-s to 340-s, (July).
Brazing and Welding Aluminum-Graphite Composites Feasibility of — D. M. Goddard, R. T. Pepper, J. W. Upp and E. G. Kendall, 178-s to 183-s, (Apr).
Brazing Filler Metal Application in High Temperature Brazing — Wysopal, R.; Bangs, E. R., 97-s to 106-s, (Mar).
Brazing Filler Metals On the Alloy 718, Spreading and Aggressive Effects by Nickel-Base — I. Amato, F. Baudrocco and M. Ravissa, 341-s to 345-s, (July).
Brazing of Aluminum, Development of Filler Metals and Procedures for Vacuum — W. J. Werner, G. M. Slaughter and F. B. Gurtner, 64-s to 70-s, (Feb).
Brazing Titanium Honeycomb Panels, Study of Vacuum Furnace Atmospheres for — Bruno Dumez, 346-s to 348-s, (July).

Character of Stress Fields Around A Weld Arc Moving on Aluminum Sheet, The — Russell A. Chihoski, 9-s to 19-s, (Jan).
Chromium and Uranium on Susceptibility to Hot Cracking of High Strength Chromium-Molybdenum-Vanadium Steel Sheet, Effect of — C. E. Makepeace, 1-s to 8-s, (Jan).
Chromium-Molybdenum-Vanadium Steel Sheet, Effect of Chromium and Uranium on Susceptibility to Hot Cracking of High Strength — C. E. Makepeace, 1-s to 8-s, (Jan).
Columns, Welded Hybrid Steel — N. R. NagarajaRao, P. Marek and L. Tall, 462-s to 473-s, (Sept).
Compatibility of Brazed Joints with Potassium and Vacuum — J. W. Hendricks, N. C. Cole, G. M. Slaughter, 329-s to 336-s, (July).
Complex Rotor Fabrication by Hot Isostatic Pressure Welding — G. G. Lessmann and W. A. Bryant, 606-s to 614-s, (Dec).
Continuous Drive Friction Welding of Mild Steel — C. R. G. Ellis, 178-s to 183-s, (Apr).
Cooling Rates, Effects of Covered Electrode Welding Variables on Weld Metal — B. M. Krantz and V. D. Coppolecchia, 117-s to 121-s, (Mar).
Cooling Rates in Mild and Low Alloy Steel Weld Metals,

A Simplified Method for Calculating — E. G. Signes, 473-s to 484-s, (Oct).
Copper Capillary Piping Joints, Joint Tolerances in — R. B. Edwards, 321-s to 324-s, (June).
Copper-Nickel Alloy Steel, Mechanical Properties and Weldability of Commercially Produced — R. K. Buhr and W. P. Campbell, 417-s to 424-s, (Aug).
Copper Surfaces, Mechanisms of Solder Fluxing on — D. R. Lesuer and R. Weil, 325-s to 328-s, (June).
Covered Electrode Welding Variables on Weld Metal Cooling Rates, Effects of — B. M. Krantz and V. D. Coppolecchia, 117-s to 122-s, (Mar).
Cracking in Rene 41 Weldments, Acoustic Emission Characteristics of Heat Treat — A. T. D'Annessa and J. S. Owens, 156-s to 168-s, (Mar).
Cracking of High Strength Chromium-Molybdenum-Vanadium Steel Sheet, Effect of Chromium and Uranium on Susceptibility — C. E. Makepeace, 1-s to 8-s, (Jan).
Cracking of High Strength Steels and Titanium Alloys, Stress-Corrosion — R. W. Judy, Jr. and R. J. Goode, 437-s to 448-s, (Sept).
Cracking Test, Development and Use of the Implant — P. Hart and F. Watkinson, 349-s to 357-s, (July).
Crack Propagation in A514 Base Plate and Welded Joints, Fatigue — M. Parry, H. Nordberg and R. W. Hertzberg, 485-s to 490-s, (Oct).
Crack Propagation in Stainless Steel Weldments at High Temperature, Fatigue — P. Shahinian, H. H. Smith and J. R. Hawthorne, 527-s to 532-s, (Nov).
Cracks in Inconel 600, Electron Microanalysis of Backfilled Hot — W. F. Savage and D. W. Dickinson, 555-s to 562-s, (Nov).
CrMoV69 Steel and 18Ni Maraging Steel, Fracture Toughness of the Heat-Affected Zone in 14 — B-Z. Weiss, H. D. Steffens and K. Seifert, 449-s to 456-s, (Sept).

Deep Penetration Welding With High Power CO_2 Lasers — E. Locke, E. Hoag, R. Hella, 245-s to 249-s, (May).
Defects Correlated with Ultrasonic and Radiographic Evaluation, Tensile Properties of HY80 Steel Welds Containing — R. A. Youshaw, 198-s to 207-s, (April).
Development of a New High-Temperature Solder System — A. E. Schwaneke, W. L. Flake, O. K. Crosser, 361-s to 368-s, (July).
Development of Filler Metals and Procedures for Vacuum Brazing of Aluminum — W. J. Werner, G. M. Slaughter, and F. B. Gurtner, 64-s to 71-s, (Feb).
Development of the Implant Cracking Test — P. Hart and F. Watkinson, 349-s to 357-s, (July).
Diffusion Welding of Beryllium: Part I-Basic Studies — Thomas J. Bosworth, 579-s to 590-s, (Dec).
Diffusion Welding of Steel Plate in Air, Practical Method For — T. J. Moore, and K. H. Holko, 106-s to 117-s, (Mar).
Diffusion Welding of TD-MiCr Sheet, Enhanced — K. H. Holko and T. J. Moore, 81-s to 89-s, (Feb).
Diffusion Welding Superalloy Udimet 700, Methods for — D. S. Duvall, W. A. Owczarski, D. F. Paulonis and W. H. King, 41-s to 49-s, (Feb).
Ductility of Ferritic Stainless Weld Metal — B. Pollard, 222-s to 230-s, (Apr).

Effect of Chromium and Uranium on Susceptibility to Hot Cracking of High Strength Chromium-Molybdenum-Vanadium Steel Sheet — C. E. Makepeace, 1-s to 8-s, (Jan).
Effect of Rare Earths on Short-Circuiting Arc Welding, Technical Note — B. Pollard, 533-s to 535-s, (Nov).
Electron Beam Welding, Analytical Photography of — D. W. Crawford, 50-s to 53-s, (Feb).
Electron Beam Welding, Penetration Mechanism of Partial Penetration — C. M. Weber and E. R. Funk, 90-s to 96-s, (Feb).
Electron Microanalysis of Backfilled Hot Cracks in Inconel 600 — W. F. Savage and D. W. Dickinson, 555-s to 562-s, (Nov).
Electroslag Process, Slag-Metal Reactions in the — B. M. Patchett and D. R. Milner, 491-s to 505-s, (Oct).
Elevated Temperature Toughness and a Dimensionless Parameter Involving the Zero-Ductility Temperature — T. L. Capeletti, L. A. Jackman and W. J. Childs, 602-s to 605-s, (Dec).
Enhanced Diffusion Welding of TD-MiCr Sheet — K. H. Holko and T. J. Moore, 81-s to 89-s, (Feb).
Establishment of Safe Welding Procedures for Steels — N. Bailey, 169-s to 178-s, (Apr).
Evaluation of Braze Alloys for Vacuum Treating-Gas Quenching — C. F. Burrows, R. O'Keefe, 53-s to 63-s, (Feb).
Explosive Welds, Morphology and Composition of Bond Zones in Some Invar-Based — S. R. Sahay, P. C. Angelo and R. V. Tamhankar, 23-s to 28-s, (Jan).

Fatigue Crack Propagation in A514 Base Plate and Welded Joints — M. Parry, H. Nordberg and R. W. Hertzberg, 485-s to 490-s, (Oct).
Fatigue Crack Propagation in Stainless Steel Weldments at High Temperature — P. Shahinian, H. H. Smith and J. R. Hawthorne, 527-s to 532-s, (Nov).
Fatigue of Steel Weldments — B. Pollard and R. J. Cover, 544-s to 554-s, (Nov).
Fatigue Properties of Solder Joints — R. N. Wild, 521-s to 526-s, (Nov).
Fatigue Strength of Welded Joints, 1950-1971, Bibliography on — C. F. Larson, 457-s to 561-s, (Sept).
Feasibility of Brazing and Welding Aluminum-Graphite Composites — D. M. Goddard, R. T. Pepper, J. W. Upp and E. G. Kendall, 178-s to 183-s, (Apr).
Ferrite Morphology in Austenitic Stainless Steel Weldments, A Study of — G. M. Goodwin, N. C. Cole, and G. M. Slaughter, 425-s to 429-s, (Sept).
Ferritic Stainless Weld Metal, Ductility of — B. Pollard, 222-s to 230-s, (Apr).
Fine Oxide Particles in Mild Steel CO Weld Metal — T. Boniszewski, 19-s to 22-s, (Jan).
Flux-Cored Electrodes, Toughness Study of Steel Weld Metal from Self Shielding —D. J. Kotecki and R. A. Moll, 138-s to 155-s, (Mar).
Fracture Toughness of A516 Grade 60 Steel, Technical Note — L. A. James, 506-s to 507-s, (Oct).
Fracture Toughness of the Heat-Affected Zone in 14CrMoV69 Steel and 18Ni Maraging Steel — B. Z. Weiss, H. D. Steffens and K. Seifert, 449-s to 456-s, (Sept).
Fracture Toughness of Heat-Affected Zones, Procedures for Evaluation of — L. J. McGeady, 569-s to 578-s, (Dec).
Friction Welding of Mild Steel, Continuous Drive — C. R. G. Ellis, 183-s to 197-s, (Apr).
Fusion Welding of a Tungsten Alloy to a Tantalum Alloy — George Tardiff, 36-s to 40-s, (Jan).
Fusion Welding of Titanium-Tungsten and Titanium-Graphite Composites — James R. Kennedy, 250-s to 259-s, (May).

Galvanized Steel, A High Speed Photographic Analysis of Spot Welding — W. R. Upthegrove and J. F. Key, 233-s to 244-s, (May).
Gas Quenching, Evaluation of Braze Alloys for Vacuum Treating — C. F. Burrows and R. O'Keefe, 53-s to 63-s, (February).
Gas Quenched Materials, Vacuum Brazed and Vacuum Heat Treated Materials, Metallography of — J. L. McCall, 71-s to 81-s, (Feb).
Gas Tungsten-Arc Welding Process, Magnetic Control of — T. N. Jayarajan and C. E. Jackson, 377-s to 385-s, (Aug).

Hardness in Carbon and Low Alloy Steels, Investigation of Underbead — J. Brisson, P. H. Maynier, J. Dollet and P. Bastien, 208-s to 221-s, (Apr).
Heat Treatment Effects in Multipass Weldments of a High-Strength Steel — S. S. Strunck and R. D. Stout, 508-s to 520-s, (Oct).
High Speed Photographic Analysis of Spot Welding Galvanized Steel — W. R. Upthegrove and J. F. Key, 233-s to 244-s, (May).
High-Strength Steel, Heat Treatment Effects in Multipass Weldments of a — S. S. Strunck and R. D. Stout, 508-s to 520-s, (Oct).

Hot Tearing in Al-Zn-Mg Alloys, Investigation of — J. Hernaez and A. Madronero, 281-s to 294-s, (June).
How Fluxes Determine the Metallurgical Properties of Submerged Arc Welds — ir. J. H. Palm, 358-s to 360-s, (July).
Hybrid Steel Columns, Welded — N. R. NagarajaRao, P. Marek and L. Tall, 462-s to 473-s, (Sept).

Implant Cracking Test, Development of the — P. Hart and F. Watkinson, 349-s to 357-s, (July).
Importance of Brazing Filler Metal Application in High Temperature Brazing — R. Wysopal and E. R. Bangs, 97-s to 106-s, (Mar).
Inconel 600, Electron Microanalysis of Backfilled Hot Cracks in — W. F. Savage and D. W. Dickinson, 555-s to 562-s (Nov).
Inconel 718, Solidification Mode of Weld Metal in — H. Yoshimura and K. Winterton, 132-s to 138-s, (Mar).
Intermetallic Growth in Tin-Rich Solders — L. Zakraysek, 536-s to 541-s, (Nov).
Invar-Based Explosive Welds, Morphology and Composition of Bond Zones in — J. Ramesam, S. R. Sahay, P. C. Angelo, R. V. Tamhankar, 23-s to 29-s, (Jan).
Investigation of Hot Tearing in Al-Zn-Mg Alloys — J Hernáez and A. Madroñero, 281-s to 294-s, (June).
Investigation of Underbead Hardness in Carbon and Low Alloy Steels — J. Brisson, P. H. Maynier, J. Dollet and P. Bastien, 208-s to 222-s, (Apr).

Joint Tolerances in Copper Capillary Piping Joints — R. B. Edwards, 321-s to 324-s, (June).

Lasers, Deep Penetraton Welding With High Power CO_2 — E. Locke, E. Hoag, R. Hella, 245-s to 249-s, (May).
Low Alloy Plate Steel of Structural Quality, Welding of a Normalized High Strength — Walter P. Benter, Jr., 591-s to 598-s, (Dec).

Magnetic Control of Gas Tungsten-Arc Welding Process — T. N. Jayarajan and C. E. Jackson, 377-s to 385-s, (Aug).
Mechanical Properties and Weldability of Commercially Produced Copper-Nickel Alloy Steel — R. K. Buhr, and W. P. Campbell, 417-s to 424-s, (Aug).
Mechanism of Ripple Formation During Weld Solidification — D. J. Kotecki, D. L. Cheever, and D. G. Howden, 386-s to 391-s, (Aug).
Mechanisms of Solder Fluxing on Copper Surfaces — D. R. Lesuer and R. Weil, 325-s to 328-s, (June).
Metallography of Vacuum Brazed and Vacuum Heat Treated and Gas Quenched Materials — McCall, J. L., 71-s to 81-s, (Feb).
Method for Calculating Cooling Rates in Mild and Low Alloy Steel Weld Metals, A Simplified — E. G. Signes, 473-s to 484-s, (Oct).
Methods for Diffusion Welding Superalloy Udimet 700 — D. S. Duvall, W. A. Owczarski, D. F. Paulonis, W. H. King, 41-s to 49-s (Feb).
Microparticles in Mild Steel Weld Metal, Technical Note — G. den Ouden, 542-s to 543-s, (Nov).
Morphology and Composition of Bond Zones in Some Invar-Based Explosive Welds — J. Ramesam, S. R. Sahay, P. C. Angelo, R. V. Tamhankar, 23-s to 29-s, (Jan).
Multipass Weldments of a High-Strength Steel, Heat Treatment Effects in — S. S. Strunck and R. D. Stout, 508-s to 520-s, (Oct).

New Design of Resistance Spot Welding Machine for Quality Control — K. I. Johnson and J. C. Needham, 122-s to 132-s, (Mar).
New Technique for Metal Bonding and Cleaning — K. O. Christe, R. D. Wilson and D. Pilipovich, 599-s to 601-s, (Dec).
Ni Maraging Steel, Fracture Toughness of the Heat-Affected Zone in 14CrMoV69 Steel and 18 — B.-Z. Weiss, H. D. Steffens and K. Seifert, 449-s to 456-s, (Sept).
Nickel Alloy Steel, Mechanical Properties and Weldability of Commercially Produced Copper — R. K. Buhr and W. P. Campbell, 417-s to 424-s, (Aug).
Nickel Alloys, Varestraint Testing of — A. C. Lingenfelter, 430-s to 436-s, (Sept).
Nickel-Base Alloy, A Welding Defect Related to the Aluminum Content in a — D. L. Coffey, W. B. Cartmill, and C. E. Burgan, 29-s to 30-s, (Jan).
Nickel-Base Brazing Filler Metals On the Alloy 718, Spreading and Aggressive Effects By — I. Amato, F. Baudrocco, M. Ravizza, 341-s to 345-s, (July).
Nuclear Reactor Vessels, Radiation Resistant Weld Metal for Fabrication A533-B — J. R. Hawthorne, 369-s to 375-s, (July).

Origin of Light Area in Upset Welds of Rolled Carbon Steel — J. Zak and R. Rys, 272-s to 279-s, (May).
Oxide Particles in Mild Steel CO_2 Weld Metal, Fine — T. Boniszewski, 19-s to 22-s, (January).

Penetration Mechanism of Partial Penetration Electron Beam Welding — C. M. Weber and E. R. Funk, 90-s to 94-s, (Feb).
Penetration Welding With High Power CO_2 Lasers, Deep — E. Locke, E. Hoag, R. Hella, 245-s to 249-s, (May).
Piping Joints, Joint Tolerances in Copper Capillary — R. B. Edwards, 321-s to 324-s, (June).
Potassium and Vacuum, Compatibility of Brazed Joints with — J. W. Hendricks, N. C. Cole, G. M. Slaughter, 329-s to 336-s, (July).
Practical Method for Diffusion Welding of Steel Plate in Air — T. J. Moore and K. H. Holko, 106-s to 117-s, (Mar).
Pressure Welding, Complex Rotor Fabrication by Hot Isostatic — G. G. Lessmann and W. A. Bryant, 606-s to 614-s, (Dec).
Procedures for Evaluation of Fracture Toughness of Heat-Affected Zones — L. J. McGeady, 569-s to 578-s, (Dec).

Quality Control, New Design of Resistance Spot Welding Machine for — K. I. Johnson and J. C. Needham, 122-s to 131-s, (Mar).

Radiation Resistant Weld Metal for Fabricating A533-B Nuclear Vessels — J. R. Hawthorne, 369-s to 375-s, (July).
Radiators, Solder Alloy Development for Automotive — R. E. Beal, 295-s to 303-s, (June).
Rare Earths on Short-Circuiting Arc Welding, Technical Note: Effect of — B. Pollard, 533-s to 535-s. (Nov).
Reactions in the Electroslag Process, Slag-Metal — B. M. Patchett and D. R. Milner, 491-s to 505-s, (Oct).
René 41 Weldments, Acoustic Emission Characteristics of Heat Treat Cracking in — Owens, J. W. and D'Annessa, A. T., 156-s to 168-s (Mar).
Residual Stresses in Thick Welded Plates — R. Bjørhovde, J. Brozetti, G. A. Alpsten, and L. Tall, 392-s to 405-s, (Aug).
Resistance Spot Welding Machine for Quality Control, Design of — K. I. Johnson and J. C. Needham, 122-s to 132-s, (Mar).
Resistance Welding, 1950-1971, Bibliography on — C. F. Larson, 563-s to 567-s, (Nov).
Ripple Formation During Weld Solidification, Mechanism of — D. J. Kotecki, D. L. Cheever, and D. G. Howden, 386-s to 391-s, (Aug).
Rotor Fabrication by Hot Isostatic Pressure Welding, Complex — G. G. Lessmann and W. A. Bryant, 606-s to 614-s, (Dec).

Safe Welding Procedures for Steel, Establishment of — N. Bailey, 169-s to 178-s (Apr).
Short-Circuiting Arc Welding, Technical Note: Effect of Rare Earths on — B. Pollard, 533-s to 535-s, (Nov).
Simplified Method for Calculating Cooling Rates in Mild and Low Alloy Steel Weld Metals — E. G. Signes, 473-s to 484-s, (Oct).
Slag-Metal Reactions in the Electroslag Process — B. M. Patchett and D. R. Milner, 491-s to 505-s, (Oct).

Sodium Service, Surfacing of 304 Stainless Steel for Liquid Sodium — R. A. Douty and H. Schwartzbart, 406-s 416-s, (Aug).
Solder Alloy Development for Automotive Radiators, R. E. Beal, 295-s to 303-s, (June).
Solder Fluxing on Copper Surfaces, Mechanisms of — D. R. Lesuer and R. Weil, 325-s to 328-s, (June).
Solder Joints, Fatigue Properties of — R. N. Wild, 521-s to 526-s, (Nov).
Solders, Intermetallic Growth in Tin-Rich — L. Zakraysek, 536-s to 541-s, (Nov).
Solder System, Development of a New High Temperature — A. E. Schwaneke, W. L. Flake, O. K. Crosser, 361-s to 368-s, (July).
Solidification, Mechanism of Ripple Formation During Weld — D. J. Kotecki, D. L. Cheever and D. G. Howden, 386-s to 391-s, (Aug).
Solidification Mode of Weld Metal in Inconel 718 — H. Yoshimura and K. Winterton, 132-s to 138-s, (Mar).
Solidification Using Crystalline Organic Materials, Synthesis of Weld — W. F. Savage and Robert J. Hrubec, 260-s to 271-s, (May).
Spreading and Aggressive Effects By Nickel-Base Brazing Filler Metals On The Alloy 718 — I. Amato, F. Baudrocco, M. Ravizza, 341-s to 345-s, (July).
Stainless Steel for Liquid Sodium Service, Surfacing of 304 — R. A. Douty and H. Schwartzbart, 406-s to 416-s, (Aug).
Stainless Steel Weldments at High Temperature, Fatigue Crack Propagation in — P. Shahinian, H. H. Smith and J. R. Hawthorne, 527-s to 532-s, (Nov).
Stainless Steel Weldments, A Study of Ferrite Morphology in Austenitic — G. M. Goodwin, N. C. Cole, G. M. Slaughter, 425-s to 429-s, (Sept).
Stainless Weld Metal, Ductility of Ferritic — B. Pollard, 222-s to 232-s, (Apr).
Steel Weldments, Fatigue of — B. Pollard and R. J. Cover, 544-s to 554-s, (Nov).
Stress-Corrosion Cracking of High Strength Steels and Titanium Alloys — R. W. Judy, Jr. and R. J. Goode, 437-s to 448-s, (Sept).
Stress Fields Around a Weld Arc Moving on Aluminum Sheet, The Character of — Russell A. Chihoski, 9-s to 18-s, (Jan).
Stresses in Thick Welded Plates, Residual — R. Bjørhovde, J. Brozetti, G. A. Alpsten, and L. Tall. 392-s to 405-s, (Aug).
Structural Quality, Welding of a Normalized High Strength Low Alloy Plate Steel of — Walter P. Benter, Jr., 591-s to 598-s, (Dec).
Stub End by the Finite Element Method, Analysis of a — N. R. Byers and R. F. Schultz, 31-s to 35-s, (Jan).
Study of Ferrite Morphology in Austenitic Stainless Steel Weldments — G. M. Goodwin, N. C. Cole, and G. M. Slaughter, 425-s to 429-s, (Sept).
Submerged Arc Welds, How Fluxes Determine the Metallurgical Properties of — ir. J. H. Palm, 358-s to 360-s, (July).
Surfacing of 304 Stainless Steel for Liquid Sodium Service — R. A. Douty and H. Schwartzbart, 406-s to 416-s, (Aug).
Synthesis of Weld Solidification Using Crystalline Organic Materials — W. F. Savage and Robert J. Hrubec, 260-s to 271-s, (May).

Tantalum Alloy, Fusion Welding of a tungsten Alloy to a — George Tardiff, 36-s to 40-s, (Jan).
Tantalum Alloys, Weldability of — P. A. Kammer, R. E. Monroe, D. C. Martin, 304-s to 320-s, (June).
Technical Note: Effect of Rare Earths on Short-Circuiting Arc Welding — B. Pollard, 533-s to 535-s, (Nov).
Technical Note: Fracture Toughness of A516 Grade 60 Steel — L. A. James, 506-s to 507-s, (Oct).
Technical Note: Microparticles in Mild Steel Weld Metal, G. den Ouden, 542-s to 543-s, (Nov).
Tensile Properties of HY80 Steel Welds Containing Defects Correlated with Ultrasonic and Radiographic Evaluation — R. A. Youshaw, 198-s to 208-s, (Apr).
Tin-Rich Solders, Intermetallic Growth in — L. Zakraysek, 536-s to 541-s, (Nov).
Titanium Alloys, Stress-Corrosion Cracking of High Strength Steels and — R. W. Judy, Jr and R. J. Goode, 437-s to 448-s, (Sept).
Titanium Honeycomb Panels, Study of Furnace Atmospheres for Brazing — Bruno Dumez, 346-s to 348-s, (July).
Titanium-Tungsten and Titanium-Graphite Composites, Fusion Welding of — James R. Kennedy, 250-s to 259-s, (May)
Toughness and a Dimensionless Parameter Involving the Zero-Ductility Temperature, Elevated Temperature — T. L. Capeletti, L. A. Jackman and W. J. Childs, 602-s to 605-s, (Dec).
Toughness Study of Steel Weld Metal from Self Shielded, Flux-Cored Electrodes, — D. J. Kotecki and R. A. Moll, 138-s to 156-s, (Mar).
Tube Fittings, Brazed-Welded Lightweight High Pressure Aerospace — Charles R. Ursell, II, 337-s to 340-s, (July).
Tungsten Alloy to a Tantalum Alloy, Fusion Welding of a — George Tardiff, 36-s to 40-s, (Jan).

Udimet 700, Methods for Diffusion Welding Superalloy — D. S. Duvall, W. A. Owczarski, D. F. Paulonis and W. H. King, 41-s to 49-s, (Feb).
Ultrasonic and Radiographic Evaluation, Tensile Properties of HY80 Steel Welds Containing — R. A. Youshaw, 198-s to 208-s, (Apr).
Underbead Hardness in Carbon and Low Alloy Steels, Investigation of — J. Brisson, P. H. Maynier, J. Dollet and P. Bastien, 208-s to 222-s, (Apr).
Upset Welds of Rolled Carbon Steel, The Origin of Light Areas in — J. Zak and R. Rys, 272-s to 279-s, (May).
Uranium, Effect of Chromium and on Susceptibility to Hot Cracking of High Strength Chromium — C. E. Makepeace, 1-s to 8-s, (Jan).

Vacuum Brazed, Vacuum Heat Treated and Gas Quenched Materials, Metallography of — J. L. McCall, 71-s to 81-s, (Feb).
Vacuum Brazing of Aluminum, Development of Filler Metals and Procedures for — W. J. Wertner, G. M. Slaughter, and F. B. Gurtner, 64-s to 71-s, (Feb).
Vacuum, Compatibility of Brazed Joints with Potassium and — J. W. Hendricks, N. C. Cole and G. M. Slaughter, 329-s to 336-s, (July).
Vacuum Furnace Atmospheres for Brazing Titanium Honeycomb Panels, Study of — Bruno Dumez, 346-s to 348-s, (July).
Vacuum Treating-Gas Quenching, Evaluation of Braze Alloys for — C. F. Burrows, R. O'Keefe, 53-s to 63-s, (Feb).
Varestraint Testing of Nickel Alloys — A. C. Lingenfelter, 430-s to 436-s, (Sept).

Weldability of Tantalum Alloys — P. A. Kammer, R. E. Monroe, D. C. Martin, 304-s to 320-s, (June).
Welded Hybrid Steel Columns — N. R. NagarajaRao, P. Marek and L. Tall, 462-s to 472-s, (Sept).
Welded Joints, 1950-1971, Bibliography on Fatigue Strength of — C. F. Larson, 457-s to 461-s, (Sept).
Welding Defect Related to the Aluminum Content in a Nickel-Based Alloy — D. L. Coffey, W. B. Cartmill, C. E. Burgan, 29-s to 31-s, (Jan).
Welding of a Normalized High Strength Low Alloy Plate Steel of Structural Quality — Walter P. Benter, Jr., 591-s to 598-s, (Dec).
Weld Metal, Technical Note: Microparticles in Mild Steel — G. den Ouden, 542-s to 543-s, (Nov).
Weld Metals, A Simplified Method for Calculating Cooling Rates in Mild and Low Alloy Steel — E. G. Signes, 474-s to 484-s, (Oct).

Zero-Ductility Temperature, Elevated Temperature Toughness and a Dimensionless Parameter Involving the — T. L. Capeletti, L. A. Jackman and W. J. Childs, 602-s to 605-s, (Dec).

AUTHOR INDEX

Alpsten, G. A., Bjørhovde, R., Alpsten, G. A., Tall, L. — Residual Stresses in Thick Welded Plates, 393-s to 405-s, (Aug).

Amato, I., Baudrocco, F., Ravizza, M. — Spreading and Agressive Effects By Nickel-Base Brazing Filler Metals on the Alloy 718, 341-s to 345-s, (July).

Angelo, P. C., Ramesam, J., Sahay, S. R., Tamhankar, R. V. — Morphology and Composition of Bond Zones in Some Invar-Based Explosive Welds, 23-s to 29-s (Jan).

Bailey N. — Establishment of Safe Welding Procedures for Steels, 169-s to 178-s, (Apr).

Bangs, E. R. and Wysopal, R. — The Importance of Brazing Filler Metal Application in High Temperature Brazing, 97-s to 106-s, (Mar).

Bastien, P., Brisson, J., Maynier, P. H., and Dollet, J. — Investigation of Underbead Hardness in Carbon and Low Alloy Steels, 208-s to 222-s, (Apr).

Baudrocco, F., Amato, I., Ravizza, M. — Spreading and Aggressive Effects By Nickel-Base Brazing Filler Metals On The Alloy 718, 341-s to 345-s, (July).

Beal, R. E. — Solder Alloy Development for Automotive Radiators, 295-s to 303-s, (June).

Benter Jr., Walter P. — Welding of a Normalized High Strength Low Alloy Plate Steel of Structural Quality, 591-s to 598-s, (Dec).

Bjørhovde, R., Brozetti, J., Alpsten, G. A., and Tall, L. — Residual Stresses in Thick Welded Plates, 392-s to 405-s, (Aug).

Boniszewski, T. — Fine Oxide Particles in Mild Steel CO_2 Weld Metal, 19-s to 22-s, (Jan).

Bosworth, Thomas J. — Diffusion Welding of Beryllium: Part I-Basic Studies, 579-s to 590-s, (Dec).

Brisson, J, Maynier, P. H., Dollet, J. and Bastien, P. — Investigation of Underbead Hardness in Carbon and Low Alloy Steels, 208-s to 222-s, (Apr).

Brozetti, J., Bjørhovde, R., Alpsten, G. A., and Tall, L. — Residual Stresses in Thick Welded Plates, 392-s to 405-s, (Aug).

Bryant, W. A. Lessmann, G. G. — Complex Rotor Fabrication by Hot Isostatic Pressure Welding, 606-s to 614-s, (Dec).

Buhr, R. K., and Campbell, W. P. — Mechanical Properties and Weldability of Commercially Produced Copper-Nickel Alloy Steel, 417-s to 424-s, (Aug).

Burgan, C. E., Coffey, D. L., Cartmill, W. B. — A Welding Defect Related to the Aluminum Content in a Nickel-Base Alloy, 29-s to 31-s, (Jan).

Burrows, C. F., O'Keefe, R. — Evaluation of Braze Alloys for Vacuum Treating-Gas Quenching, 53-s to 63-s, (Feb).

Byers, N. R., Schultz, R. F. — Analysis of a Stub End by the Finite Element Method, 31-s to 36-s, (Jan).

Campbell, W. P. and Buhr, R. K. — Mechanical Properties and Weldability of Commercially Produced Copper-Nickel Alloy Steel, 417-s to 424-s, (Aug).

Capeletti, T. L., Jackman, L. A., Childs, W. J. — Elevated Temperature Toughness and a Dimensionless Parameter Involving the Zero-Ductility Temperature, 602-s to 605-s, (Dec).

Cartmill, W. B., Coffey, D. L., Burgan, C. E. — A Welding Defect Related to the Aluminum Content in a Nickel-Base Alloy, 29-s to 31-s, (Jan).

Cheever, D. L., Kotecki, D. J., Howden, D. G. — Mechanism of Ripple Formation During Weld Solidification, 386-s to 391-s, (Aug).

Chihoski, Russell A. — The Character of Stress Fields Around a Weld Arc Moving on Aluminum Sheet, 9-s to 19-s, (Jan).

Childs, W. J., Jackman, L. A., Capeletti, T. L. — Elevated Temperature Toughness and a Dimensionless Parameter Involving the Zero-Ductility Temperature, 602-s to 605-s, (Dec).

Christe, K. O., Wilson, R. D., Pilipovich, D. — New Technique for Metal Bonding and Cleaning, 599-s to 601-s, (Dec).

Coffey, D. L., Cartmill, W. B., Burgan, C. E. — A Welding Defect Related to the Aluminum Content in a Nickel-Base Alloy, 29-s to 31-s, (Jan).

Cole, N. C., Goodwin, G. M., Slaughter, G. M. — A Study of Ferrite Morphology in Austenitic Stainless Steel Weldments, 425-s to 429-s, (Sept).

Cole, N. C., Slaughter, G. M., Hendricks, J. W. — Compatibility of Brazed Joints with Potassium and Vacuum, 329-s to 336-s, (July).

Cover, R. J. and Pollard, B. — Fatigue of Steel Weldments, 544-s to 554-s, (Nov).

Crawford, D. W. — Analytical Photography by Electron Beam Welding, 50-s to 53-s, (Feb).

Crosser, O. K., Flake, W. L., Schwaneke, A. E. — Development of a New High-Temperature Solder System, 361-s to 368-s, (July).

D'Annessa, A. T. and Owens, J. S. — Acoustic Emission Characteristics of Heat Treat Cracking in Rene' 41 Weldments, 156-s to 168-s, (Mar).

den Ouden, G. — Technical Note: Microparticles in Mild Steel Weld Metal, 542-s to 543-s, (Nov).

Dickinson, D. W. and Savage, W. F. — Electron Microanalysis of Backfilled Hot Cracks in Inconel 600, 555-s to 562-s, (Nov).

Dollet, J., Bastien, P., Brisson, J., and Maynier, P. H. — Investigation of Underbead Hardness in Carbon and Low Alloy Steels, 208-s to 222-s, (Apr).

Douty, R. A. and Schwartzbart, H. — Surfacing of 304 Stainless Steel for Liquid Sodium Service, 406-s to 416-s, (Aug).

Dumez, Bruno — Study of Vacuum Furnace Atmospheres for Brazing Titanium Honeycomb Panels, 346-s to 348-s, (July).

Duvall, D. S., Owczarski, W. A., Paulonis, D. F., and King, W. H. — Methods for Diffusion Welding Superalloy Udimet 700, 41-s to 49-s, (Feb).

Edwards, R. B. — Joint Tolerances in Copper Capillary Piping Joints, 321-s to 324-s, (June).

Ellis, C. R. G. — Continuous Drive Friction Welding of Mild Steel, 183-s to 197-s, (Apr).

Flake, W. L., Crosser, O. K., Schwaneke, A. E. — Development of a New High-Temperature Solder System, 361-s to 368-s, (July).

Funk, E. R. and Weber, C. M. — Penetration Mechanism of Partial Penetration Electron Beam Welding, 90-s to 94-s, (Feb).

Goddard, D. M., Pepper, R. T., Upp, J. W. and Kendall, E. G. — Feasibility of Brazing and Welding Aluminum-Graphite Composites, 178-s to 183-s, (Apr).

Goode, R. J. and Judy Jr., R. W. — Stress-Corrosion Cracking of High Strength Steels and Titanium Alloys, 437-s to 448-s, (Sept).

Goodwin, G. M., Cole, N. C. and Slaughter, G. M. — A Study of Ferrite Morphology in Austenitic Stainless Steel Weldments, 425-s to 429-s, (Sept).

Gurtner, F. B., Slaughter, G. M. and Werner, W. J. — Development of Filler Metals and Procedures for Vacuum Brazing of Aluminum, 64-s to 71-s, (Feb).

Hart, P., Watkinson, F. — Development and Use of the Implant Cracking Test, 349-s to 357-s, (July).

Hawthorne, J. R. — Radiation Resistant Weld Metal for Fabricating A533-B Nuclear Vessels, 369-s to 375-s, (July).

Hawthorne, J. R., Smith, H. H., Shahinian, P. — Fatigue Crack Propagation in Stainless Steel Weldments at

High Temperature, 527-s to 532-s, (Nov).
Hella, R., Locke, E., Hoag, E. — Deep Penetration Welding With High Power CO_2 Lasers, 245-s to 249-s, (May).
Hendricks, J. W., Cole, N. C., Slaughter, G. M. — Compatibility of Brazed Joints with Potassium and Vacuum, 329-s to 336-s, (July).
Hernáez, J. and Madronero, A. — Investigation of Hot Tearing in Al-Zn-Mg Alloys, 281-s to 294-s, (June).
Hertzberg, R. W., Parry, M. and Nordberg, H. — Fatigue Crack Propagation in A514 Base Plate and Welded Joints, 485-s to 490-s, (Oct).
Hoag, E., Locke, E., Hella, R. — Deep Penetration Welding With High Power CO_2 Lasers, 245-s to 249-s, (May).
Holko, K. H. and Moore, T. J. — Enhanced Diffusion Welding of TD-MiCr Sheet, 81-s to 89-s, (Feb).
Holko, K. H., Moore, T. J. — Practical Method for Diffusion Welding of Steel Plate in Air, 106-s to 117-s, (Mar).
Howden, D. G., Kotecki, D. J., Cheever, D. L. — Mechanism of Ripple Formation During Weld Soldification, 386-s to 391-s, (Aug).
Hrubec, Robert J., Savage, W. F. — Synthesis of Weld Solidification Using Crystalline Organic Materials, 260-s to 271-s, (May).

Jackman, L. A., Capeletti, T. L., Childs, W. J. — Elevated Temperature Toughness and a Dimensionless Parameter Involving the Zero-Ductility Temperature, 602-s to 605-s, (Dec).
Jackson, C. E. and Jayarajan, T. N. — Magnetic Control of Gas Tungsten- Arc Welding Process, 377-s to 385-s, (Aug).
Jayarajan, T. N. and Jackson, C. E. — Magnetic Control of Gas Tungsten- Arc Welding Process, 377-s to 385-s, (Aug).
James, L. A. — Technical Note: Fracture Toughness of A516 Grade 60 Steel, 506-s to 507-s, (Oct).
Johnson, K. I. and Needham, J. C. — Design of Resistance Spot Welding Machine for Quality Control, 122-s to 132-s, (Mar).
Judy Jr., R. W. and Goode, R. J. — Stress-Corrossion Cracking of High Strength Steels and Titanium Alloys, 437-s to 448-s, (Sept).

Kammer, P. A., Monroe, R. E., Martin, D. C. — Weldability of Tantalum Alloys, 304-s to 320-s, (June).
Kendall, E. G., Goddard, D. M., Pepper, R. T., and Upp, J. W. — Feasibility of Brazing and Welding Aluminum-Graphite Composites, 178-s to 183-s, (Apr).
Kennedy, James R. — Fusion Welding of Titanium-Tungsten-Graphite Composites, 250-s to 259-s, (May).
Key, J. F. and Upthegrove, W. R. — A High Speed Analysis of Spot Welding Galvanized Steel, 233-s to 244-s, (May).
King, W. H., Duvall, D. S., Owczarski, W. A., Paulonis, D. F. — Methods for Diffusion Welding Superalloy Udimet 700, 41-s to 49-s, (Feb).
Kotecki, D. J., Cheever, D. L. Howden, D. G. — Mechanism of Ripple Formation During Weld Solidification, 386-s to 391-s, (Aug).
Kotecki, D. J. and Moll, R. A. — Toughness Study of Steel Weld Metal from Self Shielded, Flux-Cored Electrodes, 138-s to 156-s, (Mar).
Krantz, B. M. and Coppolecchia, V. D. — Effects of Covered Electrode Welding Variables on Weld Metal Cooling Rates, 117-s to 122-s, (Mar).

Larson, C. F. — Bibliography of Fatigue Strength of Welded Joints, 1950-1971, 457-s to 460-s, (Sept).
Larson, C. F. — Bibliography on Resistance Welding, 1950-1971, 563-s to 567-s, (Nov).
Lessmann, G. G., Bryant, W. A. — Complex Rotor Fabrication by Hot Isostatic Pressure Welding, 606-s to 614-s, (Dec).
Lesuer, D. R. and Weil, R. — Mechanisms of Solder Fluxing on Copper Surfaces, 325-s to 328-s, (June).
Lingenfelter, A. C. — Varestraint Testing of Nickel Alloys, 430-s to 436-s, (Sept).
Locke, E., Hoag, E., and Hella, R. — Deep Penetration Welding with High Power CO_2 Laser, 245-s to 249-s, (May).

Madroñero, A. and Hernáez, J. — Investigation of Hot Tearing in Al-Zn-Mg Alloys, 281-s to 294-s, (June).
Makepeace, C. E. — Effect of Chromium and Uranium on Susceptibility to Hot Cracking of High Strength Chromium Molybdenum-Vanadium Steel Sheet, 1-s to 9-s, (Jan).
Marek, P., NagarajaRao, N. R., and Tall, L. — Welded Hybrid Steel Columns, 462-s to 472-s, (Sept).
Martin, D. C., Kammer, P. A., Monroe, R. E. — Weldability of Tantalum Alloys, 304-s to 320-s, (June).
Maynier, P. H., Dollet, J., Bastien, P. and Brisson, J. — Investigation of Underbead Hardness in Carbon and Low Alloy Steels, 208-s to 222-s, (Apr).
McCall, J. L. — Metallography of Vacuum Brazed and Vacuum Heat Treated and Gas Quenched Materials, 71-s to 81-s, (Feb).
McGeady, L. J. — Procedures for Evaluation of Fracture Toughness of Heat-Affected Zones, 569-s to 578-s, (Dec).
Milner, D. R. and Patchett, B. M. — Slag-Metal Reactions in the Electroslag Process, 491-s to 505-s, (Oct).
Moll, R. A. and Kotecki, D. J. — Toughness Study of Steel Weld Metal from Self-Shielded, Flux Cored Electrodes, 138-s to 156-s, (Mar).
Monroe, R. E., Kammer, P. A., Martin, D. C. — Weldability of Tantalum Alloys, 304-s to 320-s, (June).
Moore, T. J., Holko, K. H. — Enhanced Diffusion Welding of TD-MiCr Sheet, 81-s to 89-s, (Feb).
Moore, T. J. and Holko, K. H. — Practical Method for Diffusion Welding of Steel Plate in Air, 106-s to 117-s, (Mar).

NagarajaRao, N. R., Marek, P. and Tall, L. — Welded Hybrid Steel Columns, 462-s to 472-s, (Sept).
Needham, J. C. and Johnson, K. I. — Design of Resistance Spot Welding Machine for Quality Control, 122-s to 132-s, (Mar).
Nordberg, H., Parry, M. and Hertzberg, R. W. — Fatigue Crack Propagation in A514 Base Plate and Welded Joints, 485-s to 490-s, (Oct).

O'Keefe, R., Burrows, C. F. — Evaluation of Braze Alloys for Vacuum Treating-Gas Quenching, 53-s to 63-s, (Feb).
Owczarski, W. A., Duval, D. S., Paulonis, D. F. and King, W. H. — Methods for Diffusion Welding Superalloy Udimet 700, 41-s to 49-s, (Feb).
Owens, J. W. and D'Annessa, A. T. — Acoustic Emission Characteristics of Heat Treat Cracking in Rene 41 Weldments 156-s to 168-s, (Mar).

Palm, J. H. — How Fluxes Determine the Metallurgical Properties of Submerged Arc Welds, 358-s to 360-s, (July).
Parry, M., Nordberg, H. and Hertzberg, R. W. — Fatigue Crack Propagation in A514 Base Plate and Welded Joints, 485-s to 490-s, (Oct).
Patchett, B. M. and Milner, D. R. — Slag-Metal Reactions in the Electroslag Process, 491-s to 505-s, (Oct).
Paulonis, D. F., Owczarski, W. A., Duval, D. S. and King, W. H. — Methods for Diffusion Welding Superalloy Udimet 700, 41-s to 49-s, (Feb).
Pepper, R. T., Upp, J. W., Kendall, E. G. and Goddard, D. M. — Feasibility of Brazing and Welding Aluminum-Graphite Composites, 178-s to 182-s, (Apr).
Pilipovich, D., Christe, K. O., Wilson, R. D. — New Technique for Metal Bonding and Cleaning, 599-s to 601-s, (Dec).
Pollard, B. — Ductility of Ferritic Stainless Weld Metal, 222-s to 230-s, (Apr).
Pollard, B. — Technical Note: Effect of Rare Earths on Short-Circuiting Arc Welding, 533-s to 535-s, (Nov).
Pollard, B. and Cover, R. J. — Fatigue of Steel Weldments, 544-s to 554-s, (Nov).

Ramesam, J., Sahay, S. R., Angelo, P. C., Tamhankar, R. V. — Morphology and Composition of Bond Zones in Some Invar-Based Explosive Welds, 23-s to 29-s, (Jan).
Ravizza, M., Baudrocco, F., Amato, I. — Spreading and Aggressive Effects By Nickel-Base Brazing Filler Metals On The Alloy 718, 341-s to 345-s, (July).
Rys, R. and Zak, J. — The Origin of "Light Area" in Upset Welds of Rolled Carbon Steel, 272-s to 279-s, (May).

Sahay, S. R., Kamesam, J., Angelo, P. C., Tamhankar, R. V. — Morphology and Composition of Bond Zones in Some Invar-Based Explosive Welds, 23-s to 29-s, (Jan).

Savage, W. F. and Dickinson, D. W. — Electron Microanalysis of Backfilled Hot Cracks in Inconel 600, 555-s to 562-s, (Nov).

Savage, W. F., Hrubec, Robert J. — Synthesis of Weld Solidification Using Crystalline Organic Materials, 260-s to 271-s, (May).

Schultz, R. F., Byers, N. R. — Analysis of a Stub End by the Finite Element Method, 31-s to 36-s, (Jan).

Schwaneke, A. E., Flake, W. L., Crosser, O. K. — Development of a New High-Temperature Solder System, 361-s to 368-s, (July).

Schwartzbart, H. and Douty, R. A. — Surfacing of 304 Stainless Steel for Liquid Sodium Service, 406-s to 416-s, (Aug).

Seifert, K., Steffens, H. D. and Weiss, B. Z. — Fracture Toughness of the Heat-Affected Zone in 14CrMoV69 Steel and 18Ni Maraging Steel, 449-s to 456-s, (Sept).

Shahinian, P., Smith, H. H., Hawthorne, J. R. — Fatigue Crack Propagation in Stainless Steel Weldments at High Temperature, 527-s to 532-s, (Nov).

Signes, E. G. — A Simplified Method for Calculating Cooling Rates in Mild and Low Alloy Steel Weld Metals, 473-s to 484-s, (Oct).

Slaughter, G. M., Cole, N. C. and Goodwin, G. M. — A Study of Ferrite Morphology in Austenitic Stainless Steel Weldments, 425-s to 429-s, (Sept).

Slaughter, G. M., Cole, N. C., Hendricks, J. W. — Compatibility of Brazed Joints with Potassium and Vacuum, 329-s to 336-s, (July).

Slaughter, G. M., Werner, W. J. and Gurtner, F. B. — Development of Filler Metals and Procedures for Vacuum Brazing of Aluminum, 64-s to 71-s, (Feb).

Smith, H. H., Hawthorne, J. R. and Shahinian, P. — Fatigue Crack Propagation in Stainless Steel Weldments at High Temperature, 527-s to 532-s, (Nov).

Steffens, H. D., Weiss, B. Z., and Seifert, K. — Fracture Toughness of the Heat-Affected Zone in 14CrMoV69 Steel and 18Ni Maraging Steel, 449-s to 456-s, (Sept).

Stout, R. D. and Strunck, S. S. — Heat Treatment Effects in Multipass Weldments of a High-Strength Steel, 508-s to 520-s, (Oct).

Strunck, S. S. and Stout, R. D. — Heat Treatment Effects in Multipass Weldments of a High-Strength Steel, 508-s to 520-s, (Oct).

Tall, L., Bjorhovde, R., Brozetti, J., Alpsten, G. A. — Residual Stresses in Thick Welded Plates, 392-s to 405-s, (Aug).

Tall, L., NagarajaRao, N. R., and Marek, P. — Welded Hybrid Steel Columns, 462-s to 472-s, (Sept).

Tamhankar, R. V., Angelo, P. C. Ramesam, J. Sahay, S. R. — Morphology and Composition of Bond Zones in Some Invar-Based Explosive Welds, 23-s to 29-s, (Jan).

Tardiff, George — Fusion Welding of a Tungsten Alloy to a Tantalum Alloy, 36-s to 40-s, (Jan).

Upp, J. W., Kendall, E. G., Goddard, D. M. and Pepper, R. T. — Feasibility of Brazing and Welding Aluminum-Graphite Composites, 178-s to 183-s, (Apr).

Upthegrove, W. R. and Key, J. F. — A High Speed Photographic Analysis of Spot Welding Galvanized Steel, 233-s to 244-s, (May).

Ursell, Charles R. II — Brazed-Welded Lightweight High Pressure Aerospace Tube Fittings, 337-s to 340-s, (July).

Watkinson, F., Hart, P. — Development of the Implant Cracking Test, 349-s to 357-s, (July).

Weber, C. M. and Funk, E. R. — Penetration Mechanism of Partial Penetration Electron Beam Welding, 90-s to 94-s, (Feb).

Weil, R. and Lesuer, D. R. — Mechanisms of Solder Fluxing on Copper Surfaces, 325-s to 328-s, (June).

Weiss, B. Z., Steffens, H. D. and Seifert, K. — Fracture Toughness of the Heat-Affected Zone in 14CrMoV69 Steel and 18Ni Maraging Steel, 449-s to 456-s, (Sept).

Werner, W. J., Slaughter, G. M. and Gurtner, F. B. — Development of Filler Metals and Procedures for Vacuum Brazing of Aluminum, 64-s to 71-s, (Feb).

Wild, R. N. — Fatigue Properties of Solder Joints, 521-s to 526-s, (Nov).

Wilson, R. D., Pilipovich, D., Christe, K. O. — New Technique for Metal Bonding and Cleaning, 599-s to 601-s, (Dec).

Wysopal, R., Bangs, E. R. — The Importance of Brazing Filler Metal Application in High Temperature Brazing, 97-s to 106-s, (Mar).

Yoshimura, H. and Winterton, K. — Soldification Mode of Weld Metal in Inconel 718, 132-s to 138-s, (Mar).

Youshaw, R. A. — Tensile Properties of HY80 Steel Welds Containing Defects Correlated with Ultrasonic and Radiographic Evaluation, 198-s to 208-s, (Apr).

Zak, J. and Rys, R. — The Origin of "Light Area" in Upset Welds of Rolled Carbon Steel, 272-s to 279-s, (May).

Zakraysek, L. — Intermetallic Growth in Tin-Rich Solders, 536-s to 541-s, (Nov).